




معرفی برنامه‌های جهانی، ملی و استانی کنترل هپاتیت B و حذف هپاتیت C تا سال ۱۴۱۰




مرکز تحقیقات عفونت‌های منتقله از خون


مصوب وزارت بهداشت، درمان و آموزش پزشکی


Viral hepatitis is a leading communicable cause of death (GBD, Lancet 2015)



Disease	Deaths (millions) in 2013
Viral hepatitis	1.45
HIV/AIDS	1.24
Tuberculosis	1.28
Malaria	0.85



2



A viral hepatitis resolution approved by the World Health Assembly in 2014 called on all countries to develop and implement national strategies for preventing, diagnosing and treating viral hepatitis.

World Health Organization
GLOBAL HEALTH SECTOR STRATEGY ON
VIRAL HEPATITIS
2016–2021
TOWARDS ENDING VIRAL HEPATITIS

- در می ۲۰۱۶، مجمع جهانی بهداشت استراتژی بخش جهانی بهداشت (GHSS) مرتبط با هیپاتیت‌های ویروسی در بازه زمانی ۲۰۱۶ تا ۲۰۲۱ را تصویب نمود.
- این استراتژی، **elimination** هیپاتیت‌های ویروسی به‌عنوان یک تهدید سلامت عمومی تا سال ۲۰۳۰ میلادی (۱۴۱۰ خورشیدی) را اعلان نمود و ۱۹۴ کشور متعهد به آن شدند.
- کاهش موارد جدید عفونت به میزان ۹۰٪ سال ۲۰۱۵
- کاهش موارد مرگ ناشی از عفونت به میزان ۶۵٪ سال ۲۰۱۵

4



سازمان
بهداشت و آموزش
پزشکی
جمهوری اسلامی ایران

اهداف توسعه پایدار و کنترل هیپاتیت‌های ویروسی





SUSTAINABLE DEVELOPMENT GOALS


TARGET 3.3: COMBAT VIRAL HEPATITIS

Combatting viral hepatitis goes beyond a health issue. Eliminating viral hepatitis will successfully contribute to achieving many other targets.

- + 3.1: Reducing maternal mortality
- + 3.4: Reducing mortality from non-communicable diseases
- + 3.5: Preventing and treating substance use disorders
- + 3.6: Achieving universal health coverage
- + 3.b: Access to affordable medicines and vaccines
- + 3.c: Health financing and health workforce


1: Ending poverty 6: Managing water and sanitation 10: Reducing inequality in access to services and commodities 16: Promoting inclusive societies that promote non-discrimination 17: Financing and capacity building for implementation

5





World Hepatitis Alliance
Fighting for a world free from viral hepatitis.

- **World Hepatitis Alliance (WHA)** is an international NGO, formed in 2007 for advocating and awareness-raising for the elimination of viral hepatitis. It represents 249 members from 84 countries worldwide.
- It holds official relations status at WHO and consultative status at the United Nations Economic and Social Council (ECOSOC).
- **Ongoing activities:**
 - World Hepatitis Day
 - World Hepatitis Summit
 - NOhep



WORLD HEPATITIS DAY






NOhep

6




- **World Hepatitis Day (July 28)**, observed on July 28 every year (in honor of Nobel Laureate Baruch Samuel Blumberg, discoverer of the hepatitis B virus, who celebrates his birthday on that date).
- World Hepatitis Day is one of eight official global public health campaigns marked by WHO:
 - World **Health** Day
 - World **Blood Donor** Day
 - World **Immunization** Week
 - World **Tuberculosis** Day
 - World **No Tobacco** Day
 - World **Malaria** Day
 - World **AIDS** Day

7

Join the quest
Find The Missing Millions. 

- World Hepatitis Day is now recognized in over 100 countries each year with a focus on a specific theme:
 - 2011: Hepatitis affects everyone, everywhere. **Know it. Confront it.**
 - 2012: **It's closer** than you think.
 - 2013: **More must be done** to stop this silent killer.
 - 2014: Hepatitis: **Think again!**
 - 2015: **Prevention** of viral Hepatitis. Act now.
 - 2016: **Know** Hepatitis. Act now.
 - 2017: **Eliminate** Hepatitis.
 - 2018: **Test. Treat.** Hepatitis

8

FIGHTING VIRAL HEPATITIS GLOBALLY



WHY IS VIRAL HEPATITIS IMPORTANT?

THE COMPLETE HEPATITIS B VACCINE SERIES IN INFANTS & CHILDREN IS 95% EFFECTIVE IN PREVENTING INFECTION



PREVENTION STRATEGIES INCLUDE: BIRTH DOSE VACCINE THAT PREVENTS MOTHER-TO-CHILD TRANSMISSION, BLOOD SAFETY, INJECTION SAFETY AND HARM REDUCTION

DIRECT-ACTING ANTIVIRALS REVOLUTIONISE HEPATITIS C TREATMENT PROVIDING A CURE FOR OVER 90% OF PEOPLE



82 COUNTRIES REPORTED HAVING A VIRAL HEPATITIS PLANS IN 2017, UP FROM ONLY 17 IN 2012. POLITICAL WILL IS INCREASING TO TACKLE VIRAL HEPATITIS

FIGHTING VIRAL HEPATITIS GLOBALLY







WHAT ARE THE 2030 TARGETS?

The key targets for elimination are:

- Hepatitis B vaccination (90% coverage of three doses of hepatitis B vaccine)
- Hepatitis B PMTCT (prevention of mother-to-child transmission; 90% coverage)
- Blood Safety (100% screening)
- Injection Safety (0% unsafe injections)
- Harm Reduction (Access to 300 clean syringes/year/person who injects drugs)
- Testing and diagnostic services (90% of hepatitis B and hepatitis C diagnosed)
- Treatment (80% of hepatitis B- and hepatitis C-diagnosed treated)









ضروریات دستیابی به هدف ریشه‌کنی هپاتیت سی تا ۱۴۱۰



- افزایش آگاهی عمومی نسبت به این بیماری
- افزایش آگاهی پزشکان و دیگر گروه‌های پزشکی نسبت به برنامه جهانی ریشه‌کنی هپاتیت‌های ویروسی (Nohep)
- در نظر گرفتن راهکارهایی جهت کاهش خطر ابتلا در گروه‌های پرخطر
- در دسترس همگان قرار گرفتن تشخیص سریع، ساده و ارزان
- غربالگری وسیع با HCV-Ab به خصوص در گروه‌های پرخطر
- شناسایی و درمان موارد مثبت
- توجه بیشتر به گایدلاین‌های بومی درمان هپاتیت سی
- در دسترس همگان قرار گرفتن داروهای ارزان
- جلوگیری از ابتلای مجدد پس از درمان در گروه‌های پرخطر بخصوص معتادین تزریقی
- ایجاد نظام جمع‌آوری اطلاعات دقیق برای ثبت تعداد موارد تشخیص داده شده و درمان شده
- انجام مطالعات ملی برای بررسی اپیدمیولوژی بیماری همراه با عوامل خطر

17



Iran Hepatitis Network

Official Network of Iranian Research Center in the Field of Hepatology and Viral Hepatitis



۶ مرداد روز جهانی هپاتیت
 سالن نمایش رسانه‌ها، ایستادگی
 کنترل هپاتیت بی با آزمایش و واکسیناسیون
 حذف هپاتیت سی با درمان





شبکه هپاتیت ایران بعنوان عضو رسمی سازمان WHA، با داشتن حق رای، شناخته شده
 Iran Hepatitis Network is a member of the World Hepatitis Alliance



World Hepatitis Alliance
Member

18

راهنماهای ملی

Hepatitis C 2016 August 10(2) e18818
 Published online 2016 August 11

doi: 10.5812/hepatitis.c.18818
 Review Article

Recommendations for the Clinical Management of Hepatitis C in Iran: A Consensus-Based National Guideline

Seyed Mojib Alavian,^{1,2*} Behzad Hajarizadeh,³ Karim Bagheri Lankarani,⁴ Hossain Sharifi,⁵ Saeed Ebrahimi Taheri,⁶ Shahab Mirza,⁷ Mehdi Mirzaei,⁸ Masoud Marashi,⁹ Mehdi Hosseini,¹⁰ Mehdi Farzadi,¹¹ Mehdi Naderi,¹² Mahmood Khatami,¹³ Rezaei Jafar,¹⁴ Masoud Javan,¹⁵ Reza Behravan,¹⁶ Mostafaez Saeed Beyzavi-Zavareh,^{17,18} Massimo Colombo,¹⁹ Husein Mansourni,²⁰ Abdel Rahman Bani,²¹ Rajni Singh,²² Majid Amini,²³ Ali Namvar,²⁴ Khosrofar Hajarizadeh,²⁵ and Reza Hajarizadeh²⁶

Background: Hepatitis C virus (HCV) infection is a global health problem. The World Health Organization (WHO) estimates that 71 million people are infected with HCV worldwide. The prevalence of HCV infection in Iran is 1.5%. The aim of this study was to develop a national guideline for the clinical management of HCV infection in Iran.

Methods: A panel of experts in HCV infection, including hepatologists, infectious disease specialists, and public health experts, was convened to develop a national guideline for the clinical management of HCV infection in Iran.

Results: The guideline covers the diagnosis, treatment, and follow-up of HCV infection. The guideline is based on the best available evidence and the consensus of the panel of experts.

Conclusion: This national guideline provides a clear and concise framework for the clinical management of HCV infection in Iran. It is expected to improve the quality of care for HCV patients in Iran.

Hepatitis C 2017 November 27(2) e18818

doi: 10.5812/hepatitis.c.18818

Published online 2017 November 28

Review Article

Update on Recommendations for the Clinical Management of Hepatitis C in Iran 2017

Seyed Mojib Alavian,^{1,2*} and Hossain Sharifi^{3*}

Background: Hepatitis C virus (HCV) infection is a global health problem. The World Health Organization (WHO) estimates that 71 million people are infected with HCV worldwide. The prevalence of HCV infection in Iran is 1.5%. The aim of this study was to update the national guideline for the clinical management of HCV infection in Iran.

Methods: A panel of experts in HCV infection, including hepatologists, infectious disease specialists, and public health experts, was convened to update the national guideline for the clinical management of HCV infection in Iran.

Results: The updated guideline covers the diagnosis, treatment, and follow-up of HCV infection. The updated guideline is based on the best available evidence and the consensus of the panel of experts.

Conclusion: This updated national guideline provides a clear and concise framework for the clinical management of HCV infection in Iran. It is expected to improve the quality of care for HCV patients in Iran.

Keywords: Hepatitis C; Therapy; Iran



نشست خبری







مرکز ملی
بیماری‌های کبدی و
هپاتیت‌ها
و بیماری‌های وابسته و پیشگیری از آن‌ها

کمپین های اطلاع رسانی











23



مرکز ملی
بیماری‌های کبدی و
هپاتیت‌ها
و بیماری‌های وابسته و پیشگیری از آن‌ها

همایش های آموزشی عمومی











وزارت بهداشت
آموزش و پرورش پزشکی
جمهوری اسلامی ایران

کتابچه و پمفلت آموزشی



جهاد
دانشگاهی
تهران

آنچه باید درمورد هپاتیت و ویروس B و C بدانیم!



۲۸ جولای روز جهانی هپاتیت
فرصتی برای شناخت هپاتیت و اقدام فوری

هپاتیت تخصص ماست!



مشهد - پودمان ۵۵ - خیابان زکریا، فوری
تلفن: ۳۶۵۵۲۲۱۰
www.dhmcinc.ir
telegram: @dhmcinc
info@dhmcinc.ir



وزارت بهداشت
آموزش و پرورش پزشکی
جمهوری اسلامی ایران

کتابچه و پمفلت آموزشی



جهاد
دانشگاهی
تهران





















بنرهای آموزشی



هیپاتیت بی

بنا بر به صورت حاد و مزمن در میان ۱۰۰ میلیون نفر

NOhep

بازمانده

در ایران بیش از ۱۰۰ میلیون نفر مبتلا به هیپاتیت بی هستند. ۳ تا ۵ درصد از این افراد از ابتلا به بیماری خود مطلع هستند. این افراد ابتلا به عفونت مزمن هیپاتیت بی را در طول زندگی تجربه می کنند. ۲۰ درصد مبتلانی که در ایران مبتلا به هیپاتیت بی هستند.

نقارویان هیپاتیت بی را به صورت مزمن در بدن خود نگه می دارند.

۱- تقریباً ۹۰ درصد مبتلانی که در ایران مبتلا به هیپاتیت بی هستند، مبتلانی که در بدن خود هیپاتیت بی را به صورت مزمن نگه می دارند.

۲- تقریباً ۱۰ درصد مبتلانی که در ایران مبتلا به هیپاتیت بی هستند، مبتلانی که در بدن خود هیپاتیت بی را به صورت حاد نگه می دارند.

۳- تقریباً ۱۰ درصد مبتلانی که در ایران مبتلا به هیپاتیت بی هستند، مبتلانی که در بدن خود هیپاتیت بی را به صورت مزمن نگه می دارند.

۴- تقریباً ۱۰ درصد مبتلانی که در ایران مبتلا به هیپاتیت بی هستند، مبتلانی که در بدن خود هیپاتیت بی را به صورت حاد نگه می دارند.

بنا بر آمارهای سازمان بهداشت جهانی در سال ۲۰۱۹

- ۱- تقریباً ۲۵۰ میلیون نفر در سراسر جهان مبتلا به هیپاتیت بی هستند.
- ۲- تقریباً ۱۰۰ میلیون نفر در سراسر جهان مبتلا به هیپاتیت بی هستند.
- ۳- تقریباً ۱۰۰ میلیون نفر در سراسر جهان مبتلا به هیپاتیت بی هستند.
- ۴- تقریباً ۱۰۰ میلیون نفر در سراسر جهان مبتلا به هیپاتیت بی هستند.

در مراکز تخصصی داخلی جهاد دانشگاهی
شماره: ۰۲۱-۶۶۰۰۰۰۰۰ - تهران - خیابان ولیعصر - تهران



HEPATITIS

This is hepatitis. Know it, control it.

۶۰ روز، فصلی تا ۲۸ جوئی روز جهانی هیپاتیت

هیپاتیت را بشناسیم و با آن مقابله کنیم

تلفن مشاوره ۰۹۶۸۶



شهر بدون هیپاتیت

طرح کنترل هیپاتیت های ویروسی در شهر مشهد

آزمایش هیپاتیت بده واکسن بزن



در مراکز تخصصی داخلی جهاد دانشگاهی
شماره: ۰۲۱-۶۶۰۰۰۰۰۰ - تهران - خیابان ولیعصر - تهران

کنفرانس های علمی



هیپاتیت C

از پیشگیری تا درمان



Occult HBV Infection



کنفرانس علمی مدیریت هیپاتیت بی



ارتباط هیپاتیت بی و سرطان کبد



ارتباط هیپاتیت بی و سرطان کبد



ارتباط هیپاتیت بی و سرطان کبد



ارتباط هیپاتیت بی و سرطان کبد



ارتباط هیپاتیت بی و سرطان کبد

**What do you think about your
exclusive role regarding
elimination of **viral hepatitis?****